AUTHOR INDEX
1990 Volume 24

A

ABRAMOW M *see* VACHIERY J-L *et al*
AGEMURA D H *see* SAGAR K B *et al*
AGNUSDEI D *see* GENNARI C *et al*
AGNOLETTI G, CORNACCHIARI A, PANZALI A F, GHIELMI S, DE GIULI F, AND FERRARI R Effect of congestive heart failure on rate of atrial natriuretic factor release in response to stretch and isoprenaline, 938
AKAVIA E *see* OPPENHEIMER E *et al*
AKITA H *see* HIRATA K-I *et al*
AKSNES G *see* KIRKEBÖEN K A *et al*
AMITZUR G, EL-SHERIF N, AND GOUGH W B Electrophysiological effects of a chemical defibrillatory agent, dibenzepin, 781
ANGUS C *see* MOE G W *et al*
ANSELONE C G *see* MCFALLS E O *et al*
ANTILA K *see* LINDQVIST A *et al*
AOMINE M AND SINGER D H Negative inotropic effects of amiodarone on isolated guinea pig papillary muscle, 182
—— *see also* NOBE S *et al*
ARITA M *see* NOBE S *et al*
ARMSTRONG P W *see* MOE G W *et al*
ARNELKO-NOBIN B *see* CHESTER A H *et al*
ASCOOP C A *see* NIEMEYER M G *et al*
AUBERT A *see* CARMELIET P *et al*
AUFFERMANN W, WAGNER S, WU S, BUSER P, PARMLEY W W, AND WIKMAN-COFFELT J Calcium inhibition of glycolysis contributes to ischaemic injury, 510
—— WU S T, DERUGIN N, PARMLEY W, HIGGINS C, KAPELKO V, AND WIKMAN-COFFELT J ^{31}P Magnetic resonance spectroscopy of pressure overload hypertrophy in rats: effect of reduced perfusion pressure, 57
AWAJI Y, HASHIMOTO H, MATSUI Y, KAWAGUCHI K, OKUMURA K, ITO T, AND SATAKE T Isoenzyme profiles of creatine kinase, lactate dehydrogenase, and aspartate aminotransferase in the diabetic heart: comparison with hereditary and catecholamine cardiomyopathies, 547

B

BAFFOUR R *see* STEWART D J and BAFFOUR R
BALASHOV S A *see* MELKUMYANTS A M and BALASHOV S A
BALLAGI-PORDÁNY G *see* KOLTAI M Z *et al*
BARDAJI A, CINCA J, WORNER F, and SCHOENENBERGER A Effects of anaesthesia on acute ischaemic arrhythmias and epicardial electrograms in the pig heart in situ, 227
BARROS F *see* DOMENECH R J *et al*
BASMADJIAN A *see* DE LORGERIL M *et al*
BATH P M W *see* KRISTENSEN S D *et al*
BATTIE C N and MORAN N Sympathectomy alters acetylcholinesterase expression in adult rat heart, 335
BAUER J A and FUNG H-L Effects of chronic glyceryl trinitrate on left ventricular haemodynamics in a rat model of congestive heart failure: demonstration of a simple animal model for the study of in vivo nitrate tolerance, 198
BAUER T S, BRODOWICZ G R, and LAMB D R Indomethacin suppresses the coronary flow response to hypoxia in exercise trained and sedentary rats, 733
BEERMANN B *see* LAGERQVIST B *et al*
BELLER G A *see* GASCHO J A *et al*
BERESEWICZ A *see* FIREK L and BERESEWICZ A
BERNARD M *see* KHANDOUDI N *et al*
BERNARD L, SALVUCCI F, SUARDI R, SOLDÁ P L, CALCIATI A, PERLINI S, FALCONE C, and RICCIARDI L Evidence for an intrinsic mechanism regulating heart rate variability in the transplanted and the intact heart during submaximal dynamic exercise? 969
BERNIER M *see* KUSAMA Y *et al*
BESTETTI R B, SALES-NETO V N, PINTO L Z, SOARES E G, MUCCILLO G, and OLIVEIRA J S M Effects of long term metoprolol administration on the electrocardiogram of rats infected with *T cruzi*, 521
BETTE L *see* SCHWERDT H *et al*
BEYAR R *see* SCHOLZ P M *et al*
BLASIG I E, EBERT B, HENNIG C, PALI T, and TOSAKI A Inverse relationship between ESR spin trapping of oxyradicals and degree of functional recovery during myocardial reperfusion in isolated working rat heart, 263
BLEIFELD W *see* TERRES W *et al*
BODELSSON M *see* CHESTER A H *et al*
BODENHEIMER M M *see* FREEMAN I *et al*
BOEKSTEGERS P, DIEBOLD J, and WEISS C Selective ECG synchronised suction and reintrofusion of coronary veins: first results of studies in acute myocardial ischaemia in dogs, 456
BOLD A J DE *see* DE BOLD A J
BOLLINGER A *see* HOFFMANN U *et al*
BORDONI A *see* MEIJ J T A *et al*
BORGDORFF P *see* VERLATO G and BORGDORFF P
BORST C, BOS A N, ZWAGINGA J J, RIENKS E, DE GROOT P G, and SIXMA J J Loss of blood platelet adhesion after heating native and cultured human subendothelium to 100° Celsius, 665
BOS A N *see* BORST C *et al*
BOSKER H *see* TER KEURS H E D J *et al*
BREEMAN A *see* NIEMEYER M G *et al*
BRIL A and MAN R Y K Electrophysiological effects of acetylcholine in Purkinje fibres surviving infarction, 296
—— ROCHETTE L, VERRY A, MAUPOIL V, MAN R Y K, and OPIE L H Effects of the free radical generating system $FeCl_3$/ADP on reperfusion arrhythmias of rat hearts and electrical activity of canine Purkinje fibres, 669
BRILLA C G *see* SILVER M A *et al*
BRIMIOULLE S *see* VACHIERY J-L *et al*
BRISTOW D J *see* MCFALLS E O *et al*
BRODOWICZ G R *see* BAUR T S *et al*
BURKMAN A M *see* HIMORI N *et al*
BUSER P *see* AUFFERMANN W *et al*
BUXBAUM P *see* ROKITANSKY A M, *et al*

C

CACHOFEIRO V, SCHIFFRIN E L, CANTIN M, and GARCIA R Glomerular and vascular atrial natriuretic factor receptors in cardiomyopathic hamsters: correlation with the peptide biological effects, 843
CALCIATI A *see* BERNARDI L *et al*
CALDERONE A *see* SHENASA H *et al*
CALICOTT C *see* STEWART J T *et al*
CAMM A J *see* MALIK M and CAMM A J
STEWART J T *et al*
CANNON E P and WILLIAMS B J Raised vascular calcium in an animal model: effects on aortic function, 47
CANTIN M *see* CACHOFEIRO V *et al*
CARABELLO B A *see* SPINALE F G *et al*
CARDINAL R *see* SHENASA H *et al*
CARMELIET P, AUBERT A, VAN DE WERF F, and DE GEEST H Evaluation of transmitral pressure gradients at different heart rates: divergent action of isoprenaline and atropine, 560
CARTER G and GAVIN J B Sulphinpyrazone reduces endocardial injury and mural thrombosis, 257
CEDRO K HERBACZYNSKA- *see* HERBACZYNSKA-CEDRO K
CERECEDA A FRANCO- *see* FRANCO-CERECEDA A
CHAMPLAIN J DE *see* DE CHAMPLAIN J
CHANDLER S T *see* CUMMINS B *et al*

CHANG K-C, HSIEH K-S, KUO T-S, and CHEN H I Effects of nifedipine on systemic hydraulic vascular load in patients with hypertension, 719
CHANG M S *see* TING C T *et al*
CHAPMAN D and EGHBALI M Expression of fibrillar types I and III and basement membrane collagen type IV genes in myocardium of tight skin mouse, 578
CHEN H I *see* CHANG K-C *et al*
CHESTER A H, MARTIN G R, BODELSSON M, ARNEKLO-NOBIN B, TADJKARIMI S, TORNEBRANDT K, and YACOUB M H 5-Hydroxytryptamine receptor profile in healthy and diseased human epicardial coronary arteries, 932
CHIANG B N *see* TING C T *et al*
CHLAPOUTAKIS E N *see* TIMOGIANNAKIS G B *et al*
CINCA J *see* BARDAJI A *et al*
CLÉMENT R *see* DE LORGERIL M *et al*
COBBE S M *see* DOHERTY J D and COBBE S M
HICKS M N and COBBE S M
COETZEE W A, OWEN P, DENNIS S C, SAMAN S, and OPIE L H Reperfusion damage: free radicals mediate delayed membrane changes rather than early ventricular arrhythmias, 156
COFFELT J WIKMAN- *see* WIKMAN-COFFELT J
COHEN M V Training in dogs with normal coronary arteries: lack of effect on collateral development, 121
COPENHAVER G L *see* GASCHO J A *et al*
CORNACCHIARI A *see* AGNOLETTI G *et al*
CORRECTION, 168, 1023
CORVOL P *see* MICHEL J-B *et al*
COZZONE P *see* KHANDOUDI N *et al*
CRAMER M J *see* NIEMEYER M G *et al*
CRAWFORD F A *see* SPINALE F G *et al*
CUMMINS B, RUSSELL G J, CHANDLER S T, PEARS D J, and CUMMINS P Uptake of radioiodinated cardiac specific troponin-I antibodies in myocardial infarction, 317
CUMMINS P *see* CUMMINS B *et al*
CURRIE R W, ROSS B M, and DAVIS T A Induction of the heat shock response in rats modulates heart rate, creatine kinase and protein synthesis after a subsequent hypothermic treatment, 87

D

DANCY M *see* LINKER N J *et al*
DAS A M and HARRIS D A Control of mitochondrial ATP synthase in heart cells: inactive to active transitions caused by beating or positive inotropic agents, 411
DAVIS T A *see* CURRIE R W *et al*
DAWSON J M and HUDLICKA O Changes in the microcirculation in slow and fast skeletal muscles with long term limitations of blood supply, 390
DE BOLD A J *see* MOE G W *et al*
DE CHAMPLAIN J *see* SHENASA H *et al*
YAMAGUCHI N *et al*
DE GEEST H *see* CARMELIET P *et al*
JANDIK J *et al*
DE GIULI F *see* AGNOLETTI G *et al*
DE GROOT P G *see* BORST C *et al*
DE JONGE H R *see* VAN DER KRAAIJ A M M *et al*
DE LORGERIL M, BASMADJIAN A, CLÉMENT R, ROUSSEAU G, and LATOUR J-G Influence of reflow ventricular fibrillation and electrical defibrillation on infarct size in a canine preparation of myocardial infarction, 151
DE VENTE J *see* VAN DER KRAAIJ A M M *et al*
DE WERF F VAN *see* VAN DE WERF F
DEAN J *see* TAGGART P *et al*
DEBIÈVE M-F *see* VACHIERY J-L *et al*
DEINUM J *see* JOHANSSON M H *et al*
DEKKERS D H W *see* MEIJ J T A *et al*
DENNIS S C *see* COETZEE W A *et al*
DER KRAAIJ A M M *see* VAN DER KRAAIJ A M M
DER MEIRACKER A H VAN *see* VAN DER MEIRACKER A H
DER WALL E E VAN *see* VAN DER WALL E E
DERUGIN N *see* AUFFERMAN W *et al*
DI VINCENZO A *see* ZUCCHI R *et al*
DIEBOLD J *see* BOEKSTEGERS P *et al*
DIEBOLD S *see* GARCIA R and DIEBOLD S
DOHERTY J D and COBBE S M Electrophysiological changes in animal model of chronic cardiac failure, 309
DOI T *see* OHTSUKA S *et al*
DOMENECH R J, MACHO P, and BARROS F Effect of left intraventricular pressure on magnitude of vascular waterfall in the epicardial coronary veins, 851
DRAKE-HOLLAND A J *see* TER KEURS H E D J *et al*
DUMAINE R, SCHANNE O F, and RUIZ-PETRICH E Taurine depresses I_{Na} and depolarises the membrane but does not effect membrane surface charges in perfused rabbit hearts, 918
DUSSAULE J-C *see* Michel J-B *et al*

E

EBERT B *see* BLASIG I E *et al*
EGHBALI M *see* CHAPMAN D and EGHBALI M
EINSTEIN R *see* MIHAILIDOU A S *et al*
EINZIG S *see* LAX D *et al*
EL-SHERIF N *see* AMITZUR G *et al*
ELAYAN H H, KENNEDY B P, and ZIEGLER M G Cardiac atria and ventricles contain different inducible adrenaline synthesising enzymes, 53
ELIADES D *see* SCHOLZ P M *et al*
ENDRYS J *see* JANDIK J *et al*
ESTERBAUER H *see* VAN DER KRAAIJ A M M *et al*

F

FALCONE C *see* BERNARDI L *et al*
FERRARI R *see* AGNOLETTI G *et al*
FEUVRAY D *see* KHANDOUDI N *et al*
FIREK L and BERESEWICZ A Hydrogen peroxide induced changes in membrane potentials in guinea pig ventricular muscle: permissive role of iron, 493
FISCHER G, GROHS J G, and RABERGER G Verification of a canine model of transient exercise induced myocardial dysfunction: antianginal effects of flestolol, an ultra short acting beta adrenoceptor antagonist, 115
FISCHER J A *see* GENNARI C *et al*
FLAUD P *see* SIMON A C *et al*
FOLLENFANT M J *see* LONGRIDGE D J *et al*
FOLTS J D *see* KELLER J W and FOLTS J D
TORRS *et al*
FORD A J *see* LONGRIDGE D J *et al*
FORST H *see* ZWISSLER B *et al*
FOUAD-TARAZI F M *see* IMAMURA M *et al*
KOBAYASHI H *et al*
FRANCO-CERECEDA A, ÖWALL A, SETTERGREN G, SOLLEVI A, and LUNDBERG J M Release of neuropeptide Y and noradrenaline from the human heart after aortic occlusion during coronary artery surgery, 242
—— *see also* HULTING J *et al*
FREELS D B *see* WILLIAMS C A *et al*
FREEMAN I, GRUNWALD A M, ROBIN B, RAO P S, and BODENHEIMER M M Effect of early reperfusion on use of triphenyltetrazolium chloride to differentiate viable from non-viable myocardium in area of risk, 109
FRÖHLIG G *see* SCHWERDT H *et al*
FUJITA M, NAGAMOTO Y, FURUNO Y, OHKITA T, and KUROIWA A Effect of pre-existing four hour coronary stenosis on ventricular arrhythmias during a subsequent 10 minute occlusion in dogs, 896
—— *see also* YAMANISHI K *et al*
FUJIWARA H *see* KAWAMURA A *et al*
FUKUDA K, HORI S, KUSUHARA M, SATOH T, KYOTANI S, INOUE S, OHNO H, YAMAGUCHI K, HANDA S, and NAKAMURA Y Intracoronary endothelin-1 increases coronary retrograde pressure by constricting arterioles, 987

FUKUMOTO K, TAKENAKA H, KOGA Y, and HAMADA M Effect of prolonged hypothermic ischaemia on myocardial sarcoplasmic reticular calcium transport, 169
FUKUZAKI H *see* HIRATA K-I *et al*
NISHIMOTO T *et al*
FUNG H-L *see* BAUER J A and FUNG H-L
FURUI H *see* YAMADA Y *et al*
FURUMICHI T *see* YAMADA Y *et al*
FURUNO Y *see* FUJITA M *et al*

G

GALEN F-X *see* MICHEL J-B *et al*
GAO W D *see* TER KEURS H E D J *et al*
GARCIA R and DIEBOLD S Simple, rapid, and effective method of producing aortocaval shunts in the rat, 430
GARCIA R *see* CACHOFEIRO V *et al*
GASCHO J A, LAWRENCE J H, and BELER G A Effects of haemorrhage induced hypotension on coronary blood flow in an anaesthetised two vessel canine coronary stenosis-occlusion model, 176
GASCHO J A, COPENHAVER G L, and HEITJAN D F Systolic thickening increases from subepicardium to subendocardium, 777
GAVIN J B *see* CARTER G and GAVIN J B
GEEST H DE *see* DEGEEST H
GENNARI C, NAMI R, AGNUSDEI D, and FISCHER J A Improved cardiac performance with human calcitonin gene related peptide in patients with congestive heart failure, 239
GHIELMI S *see* AGNOLETTI G *et al*
GILMER L *see* HU J *et al*
GIULI F DE *see* DEGIULI F
GORDON-MAJSZAK W *see* HERBACZYNSKA-CEDRO K and GORDON-MAJSZAK W
GOUGH W B *see* AMITZUR G *et al*
GRAND B LE *see* LE GRAND B
GRAY H H *see* STEWART J T *et al*
GRAY P *see* MIHAILIDOU A S *et al*
GROHS J G *see* FISCHER G *et al*
GROOT P G DE *see* DE GROOT P G
GRUNWALD A M *see* FREEMAN I *et al*
GUARNIERI C *see* MEIJ J T A *et al*
GUIZE L *see* LE GRAND B *et al*

H

HADHAZY P *see* KOLTAI M Z *et al*
HALLEMANS R *see* VACHIERY J-L *et al*
HAMADA M *see* FUKUMOTO K *et al*
HANDA S *see* FUKUDA K *et al*
HANGAI K *see* SATOH S *et al*
HARDING S E *see* JONES S M *et al*
HARRIS D A *see* DAS A M and HARRIS D A
HARRISON F *see* TAGGART P *et al*
HASEGAWA J *see* KOTAKE H *et al*
HASHIMOTO H *see* AWAJI Y *et al*
HATEM S *see* LE GRAND B *et al*
HAYASHI H, MIYATA H, KOBAYASHI A, and YAMAZAKI N Heterogeneity in cellular response and intracellular distribution of Ca^{2+} concentration during and after metabolic inhibition: rapid communication, 605
—— *see also* KAWAMURA T *et al*
HEARSE D J *see* KUSAMA Y *et al*
NAKATA T and HEARSE D J
HEITJAN D F *see* GASCHO J A *et al*
HELMIUS G *see* LAGERQVIST B *et al*
HENDRICK D A *see* SPINALE F G *et al*
HENNIG C *see* BLASIG I E *et al*
HENRIKSEN O *see* PAASKE W P *et al*
HENRIQUEZ A *see* SCHRIJEN F *et al*
HERBACZYNSKA-CEDRO K and GORDON-MAJSZAK W. Nisoldipine inhibits lipid peroxidation induced by coronary occlusion in pig myocardium, 683
HEUZEY J-Y *see* LE HEUZEY J-Y
HEVRØY O *see* KLØW N-E *et al*
HICKS M N and COBBE S M Attenuation of the rise in extracellular potassium concentration during myocardial ischaemia by d,l-sotalol and d-sotalol, 404
HIGGINS C *see* AUFFERMAN W *et al*
HIMORI N, WALLS A P, and BURKMAN A M Ischaemically induced alterations in electrical activity and mechanical performance of isolated blood perfused canine myocardial preparations, 786
HIRATA K-I, MATSUDA Y, AKITA H, YOKOYAMA M, and FUKUZAKI H Myocardial ischaemia induced by endothelin in the intact rabbit: angiographic analysis, 879
HISATOME I *see* KOTAKE H *et al*
HOFERER P *see* RIEGGER G A J and HOFERER P
HOFFMANN U, SCHNEIDER E, and BOLLINGER A Flow motion waves with high and low frequency in severe ischaemia before and after percutaneous transluminal angioplasty, 711
HOLLAND A J DRAKE- *see* DRAKE-HOLLAND A J
HOPKINS R *see* HU J *et al*
HORI S *see* FUKUDA K *et al*
HOROWITZ M *see* YAROM R *et al*
HOWARD R J *see* MOE G W *et al*
HSIEH K-S *see* CHANG K-C *et al*
HU J, GILMER L, HOPKINS R, and WOLFINBARGER L Assessment of cellular viability in cardiovascular tissue as studied with ^{3H}proline and ^{3H}inulin, 528
HUDLICKA O *see* Dawson J M and HUDLICKA O
HUDSON N *see* PAPAGEORGIOU G L *et al*
HUGHES B *see* LONGRIDGE D J *et al*
HULTING J, SOLLEVI A, ULLMAN B, FRANCO-CERECEDA A, and LUNDBERG J M Plasma neuropeptide Y on admission to a coronary care unit: raised levels in patients with left heart failure, 102
HUNYOR S N *see* MIHAILIDOU A S *et al*

I

ILEBEKK A *see* KIRKEBØEN K A *et al*
IMAI S *see* ISHIBASHI T *et al*
IMAMURA M, SCHLUCHTER M, and FOUAD-TARAZI F M Remodelling of left ventricle after banding of ascending aorta in the rat, 641
IMHOLZ B P M, SETTELS J J, VAN DER MEIRACKER A H, WESSELING K H, and WIELING W Non-invasive continuous finger blood pressure measurement during orthostatic stress compared to intra-arterial pressure, 214
INOUE S *see* FUKUDA K *et al*
ISHIBASHI T, MATSUBARA T, NAKAZAWA M, KATSUMATA N, and IMAI S On the mode of cardioprotection produced by a new bradycardic agent, FR 76830, during ischaemia and after reperfusion in the isolated perfused rat heart: a ^{31}P-NMR study, 1008
ISHIDA M *see* KAWAMURA A *et al*
ISHIKAWA S *see* KOJIMA S *et al*
ITO I *see* OHTSUKA S *et al*
ITO S *see* NOBE *et al*
ITO T *see* AWAJI Y *et al*

J

JALIL J E *see* SILVER M A *et al*
JALONEN J *see* LINDQVIST A *et al*
JANDIK J, ŘEHULOVÁ E, ENDRYS J, and DE GEEST H Collateral bronchopulmonary circulation after spontaneous recanalisation of pulmonary thromboemboli in the dog, 435
JANICKI J S *see* SILVER M A *et al*
JOHANSEN J VINTEN- *see* VINTEN-JOHANSEN J
JOHANSSON M H, DEINUM J, MARKLUND S L, and SJÖQUIST P-O Recombinant human extracellular superoxide dismutase reduces concentration of oxygen free radicals in the reperfused rat heart, 500

JOHNSTON W E, VINTEN-JOHANSEN J, KLOPFENSTEIN H S, SANTAMORE W P, and LITTLE W C Effect of acute cardiac tamponade on left ventricular pressure-volume relations in anaesthetised dogs, 633
—— *see also* SANTAMORE W P *et al*
JONES B N *see* PAPAGEORGIOU G L *et al*
JONES M P *see* MIHAILIDOU A S *et al*
JONES S *see* LINKER N J *et al*
JONES S M, KIRBY M S, HARDING S E, VESCOVA G, WANLESS R B, LIBERA L D, and POOLE-WILSON PA Adriamycin cardiomyopathy in the rabbit: alterations in contractile proteins and myocyte function, 834
JONGE H R DE *see* DE JONGE H R
JOVER B *see* LANGTON D *et al*

K

KAKIHANA M *see* OHTSUKA S *et al*
KAPELKO V *see* AUFFERMAN W *et al*
KATAYAMA O *see* LEDINGHAM S *et al*
KATSUMATA N *see* ISHIBASHI T *et al*
KAWAGUCHI K *see* AWAJI Y *et al*
KAWAI C *see* KAWAMURA A *et al*
KAWAMURA A, FUJIWARA H, ISHIDA M, TAKEMURA G, KIDA M, UEGAITO T, TANAKA M, and KAWAI C Protective effects of nipradilol, isosorbide dinitrate, and bunazosin on coronary artery constriction induced by intracoronary injection of acetylcholine in pigs, 1013
KAWAMURA T, KODAMA I, TOYAMA J, HAYASHI H, SAITO H, and YAMADA K Combined application of class I antiarrhythmic drugs causes "additive", "reductive", or "synergistic" sodium channel block in cardiac muscles, 925
KEDEM J *see* SCHOLZ P M *et al*
KEITOKU M, MARUYAMA Y, and TAKISHIMA T Different histamine actions in proximal and distal human coronary arteries in vitro, 614
—— *see also* SATOH S *et al*
KELLER J W and FOLTS J D Combined inhibitory effects of aspirin and ethanol on adrenaline exacerbation of platelet thrombus formation in stenosed canine coronary arteries, 191: correction 520
KENNEDY B P see also ELAYAN H H *et al*
KEURS H E D J TER *see* TER KEURS H E D J
KHANDOURI N, BERNARD M, COZZONE P, and FEUVRAY D Intracellular pH and role of Na^+/H^+ exchange during ischaemia and reperfusion of normal and diabetic rat hearts, 873
KIDA M *see* KAWAMURA A *et al*
KIMURA T *see* YAMAGUCHI N *et al*
KIRBY M S *see* JONES S M *et al*
KIRKEBØEN K A, AKSNES G, and ILEBEKK A Coronary reactivity in the porcine heart after short lasting myocardial ischaemia: effects of duration of ischaemia and myocardial stunning, 998
KLOPFENSTEIN H S *see* JOHNSTON W E *et al*
KLØW N-E, TANDE P M, HEVRØY O, and REFSUM H Mechanism of ECG changes and arrhythmogenic properties of low osmolality contrast media during coronary arteriography in dog, 303
—— *see also* MORTENSEN E *et al*
KOBAYASHI A *see* HAYASHI H *et al*
KOBAYASHI H, SANO T, TARAZI R C, and FOUAD-TARAZI F M Effects of antihypertensive drugs on heart and resistance vessels, 137
KODAMA I *see* KAWAMURA T *et al*
KOGA Y *see* FUKUMOTO K *et al*
KOJIMA S, ISHIKAWA S, OHSAWA K, and MORI H Determination of effective and safe dose for intracoronary administration of nicorandil in dogs, 727
KOLTAI M Z, RÓSEN P, BALLAGI-PORDÁNY G, HADHÁZY P, and POGÁTSA G Increased vasoconstrictor response to noradrenaline in femoral vascular bed of diabetic dogs. Is thromboxane A_2 involved?, 707
KOMOROWSKI R A *see* SAGAR K B *et al*
KORCZYN A D *see* OPPENHEIMER E *et al*
KOSTER J F *see* VAN DER KRAAIJ A M M *et al*
KOSTIS E B *see* SIDERIS D A *et al*
KOTAKE H, HISATOME I, MATSUOKA S, MIYAKODA H, HASEGAWA J, and MASHIBA H Inhibitory effect of 9-amino-1,2,3,4-tetrahydroacridine (THA) on the potassium current of rabbit sinoatrial node, 42
KOUROUKLIS C B *see* TIMOGIANNAKIS G B *et al*
KRAAIJ A M M DER *see* VAN DER KRAAIJ A M M
KRAUSLER S *see* ROKITANSKY A M *et al*
KRISTENSEN S D, BATH P M W, and MARTIN J F Differences in bleeding time, aspirin sensitivity and adrenaline between acute myocardial infarction and unstable angina, 19
KUO T-S *see* CHANG K-C *et al*
KUROIWA A *see* FUJITA M *et al*
KUSAMA Y, BERNIER M, and HEARSE D J Photoactivation of porphyrins: studies of reactive oxygen intermediates and arrhythmogenesis in the aerobic rat heart, 676
KUSUHARA M *see* FUKUDA K *et al*
KYOTANI S *see* FUKUDA K *et al*

L

LAB M *see* TAGGART P *et al*
LACHNO D *see* LEDINGHAM S *et al*
LAGERQVIST B, SYLVÉN C, BEERMANN B, HELMIUS G, and WALDENSTRÖM A Intracoronary adenosine causes angina pectoris like pain – an inquiry into the nature of visceral pain, 609
LAITINEN L A *see* LINDQVIST A *et al*
LAMB D R *see* BAUR T S *et al*
LAMBERT C, MOSSIAT C, TANNIÈRE-ZELLER M, MAUPOIL V, and ROCHETTE L Antiarrhythmic effect of amiodarone on doxorubicin acute toxicity in working rat hearts, 653
LAMBERTS R *see* VISSER K R *et al*
LAMERS J M J *see* MEIJ J T A *et al*
LAMONTAGNE D *see* YAMAGUCHI N *et al*
LANGTON D, JOVER B, MCGLATH B P, and LUDBROOK J Cardiovascular responses to graded treadmill exercise during the development of doxorubicin induced heart failure in rabbits, 959
LATOUR J-G *see* DE LORGERIL M *et al*
LAVERGNE T *see* LE GRAND B *et al*
LAW W R, MCLANE M P, and RAYMOND R M Insulin and beta adrenergic effects during endotoxin shock: in vivo myocardial interactions, 72
LAWRENCE J H *see* GASCHO J A *et al*
LAX D, ZHANG S-L, LI Y, WILLIAMS L, STALEY N A, NOREN G R, and EINZIG S Reduced heart lipid peroxidation precedes cardiac dilatation in turkeys with naturally occurring cardiomyopathy, 540
LE GRAND B, LE HEUZEY J-Y, PERIER P, PERONNEAU P, LAVERGNE T, HATEM S, and GUIZE L Cellular electrophysiological effects of flecainide on human atrial fibres, 232
LE HEUZEY J-Y *see* LE GRAND B *et al*
LEDINGHAM S, KATAYAMA O, LACHNO D, PATEL N, and YACOUB M Beneficial effect of adenosine during reperfusion following prolonged cardioplegic arrest, 247
LEITE C M *see* MILL J G *et al*
LEJEUNE P see VACHIERY J-L *et al*
LEVENSON J *see* SIMON A C *et al*
LEVY E *see* YAROM R *et al*
LI K S *see* SANTAMORE W P *et al*
LI Y *see* LAX D *et al*
LIBERA L D *see* JONES S M *et al*
LIMBRUNO U *see* ZUCCHI R *et al*
LINDQVIST A, JALONEN J, PARVIAINEN P, ANTILA K, and LAITINEN L A Effect of posture on spontaneous and thermally stimulated cardiovascular oscillations, 373
LINKER N J, DANCY M, MALIK M, JONES S, and WARD D E Effect of activation sequence on ventricular refractoriness as determined by extrastimuli, 659

LITTLE W C *see* JOHNSTON W E *et al*
LONGRIDGE D J, FOLLENFANT M J, MAXWELL M P, FORD A J, and HUGHES B Enhanced myocardial salvage by maintenance of microvascular patency following initial thrombolysis with recombinant tissue plasminogen activator, 697
LORGERIL M DE *see* DE LORGERIL M
LOSERT U M *see* ROKITANSKY A M *et al*
LUDBROOK J *see* Langton D *et al*
LUNDBERG J M *see* FRANCO-CERECEDA A *et al*
HULTING J, *et al*

M

MCFALLS E O, PANTELY G A, ANSELONE C G, and BRISTOW D J Importance of vasomotor tone to myocardial function and regional metabolism during constant flow ischaemia in swine, 813
MCGRATH B P *see* LANGTON D *et al*
MACHO P *see* DOMENECH R J *et al*
MCLANE M P *see* LAW W R *et al*
MAJSZAK W GORDON- *see* GORDON-MAJSZAK W
MALIK M and CAMM A J Significance of long term components of heart rate variability for the further prognosis after acute myocardial infarction, 793
——*see also* LINKER N J *et al*
MALPAS S C and PURDIE G L Circadian variation of heart rate variability, 210
MAN R Y K *see* BRIL A and MAN R Y K
BRIL A *et al*
MARIANI M *see* ZUCCHI R *et al*
MARKLAND S L *see* JOHANSSON M H *et al*
MARTIN G R *see* CHESTER A H *et al*
MARTIN J F *see* KRISTENSEN S D *et al*
MARUYAMA Y *see* KEITOKU M *et al*
SATOH S *et al*
MASHIBA H *see* KOTAKE H *et al*
MATHEY D G *see* TERRES W *et al*
MATSUBARA T *see* ISHIBASHI T *et al*
MATSUDA Y *see* HIRATA K-I *et al*
MATSUI Y *see* AWAJI Y *et al*
MATSUOKA S *see* KOTAKE H *et al*
MATTIAZZI A *see* PEDRONI P *et al*
MAUPOIL V *see* BRIL A *et al*
LAMBERT C *et al*
MAXWELL M P *see* LONGRIDGE D J *et al*
MEIJ J T A, BORDONI A, DEKKERS D H W, GUARNIERI C, and LAMERS J M J Alterations to polyunsaturated fatty acid composition of cardiac membrane phospholipids and alpha$_1$ adrenoceptor mediated phosphatidylinositol turnover, 94
MEIRACKER A H VAN DER *see* VAN DER MEIRACKER A H
MELKUMYANTS A M and BALASHOV S A Effect of blood viscocity on arterial flow induced dilator response: rapid communication, 165
MERCADIER J-J *see* MICHEL J-B *et al*
MESSMER K *see* ZWISSLER B *et al*
MICHEL J-B, MERCADIER J-J, GALEN F-X, URBAIN R, DUSSAULE J-C, PHILIPPE M, and CORVOL P Urinary cyclic guanosine monophosphate as an indicator of experimental congestive heart failure in rats, 946
MIHAILIDOU A S, EINSTEIN R, RICHARDSON D P, GRAY P, JONES M P, and HUNYOR S N Increased sensitivity to isoprenaline following digoxin pretreatment in anaesthetised and conscious dogs, 222
MILL J G, STEFANON I, LEITE C M, and VASSALLO D V Changes in performance of the surviving myocardium after left ventricular infarction in rats, 748
—— *see also* STEFANON I *et al*
MIYAKODA H *see* KOTAKE H *et al*
MIYATA H *see* HAYASHI H *et al*
MOE G W, ANGUS C, HOWARD R J, DE BOLD A J, and ARMSTRONG P W Pathophysiological role of changing atrial size and pressure in modulation of atrial natriuretic factor during evolving experimental heart failure, 570
MORAN N *see* BATTIE C N and MORAN N
MORI H *see* KOJIMA S *et al*
MORTENSEN E, TANDE P M, KLØW N-E, PLATOU E S, and REFSUM H Positive inotrophy linked with class III antiarrhythmic action: electrophysiological effects of the cardiotonic agent DPI201-106 in the dog heart in vivo, 911
MOSSIAT C *see* LAMBERT C *et al*
MOULOPOULOS S D *see* SIDERIS D A *et al*
MUCCILLO G *see* BESTETTI R B *et al*

N

NADEAU R *see* YAMAGUCHI N *et al*
NAEIJE R *see* VACHIERY J-L *et al*
NAGAMOTO Y *see* FUJITA M *et al*
NAKAMOTO T *see* SANTAMORE W P *et al*
NAKAMURA Y *see* FUKUDA K *et al*
NAKATA T and HEARSE D J Species differences in vulnerability to injury by oxidant stress: a possible link with calcium handling? 857
NAKAZAWA M *see* ISHIBASHI T *et al*
NAMI R *see* GENNARI C *et al*
NE'EMAN Z and PINSON A Oxygen and extracellular fluid restriction in cultured heart cells: electron microscopy studies, 555
NÉMETH M *see* Szekeres L, *et al*
NETO V N SALES- *see* SALES-NETO V N
NIEMEYER M G, ZWINDERMAN A H, CRAMER M J, VAN DER WALL E E, VERZIJLBERGEN F J, BREEMAN A, ASCOOP C A, and PAUWELS E K J Improvement of diagnosis in the non-invasive assessment of coronary artery disease: enhanced evaluation of quantitative exercise ^{201}thallium imaging by multivariate analysis, 804
NISHIMOTO T, YOKOYAMA M, and FUKUZAKI H Self suppression of phosphoinositide turnover and contraction by stimulating release of endogenous endothelium derived relaxing factor in vascular action of histamine, 364
NOBE S, AOMINE M, ARITA M, ITO S, and TAKAKI R Chronic diabetes mellitus prolongs action potential duration of rat ventricular muscles: circumstantial evidence for impaired Ca^{2+} channel, 381
NOBIN B ARNEKLO- *see* ARNEKLO-NOBIN B
NOBLE M I M *see* TER KEURS H E D J *et al*
TORR S *et al*
NOREN G R *see* LAX D *et al*

O

O'BRIEN W D *see* SAGAR K B *et al*
OHKITA T *see* FUJITA M *et al*
OHNO A *see* YAMANISHI K *et al*
OHNO H *see* FUKUDA K *et al*
OHSAWA K, *see* KOJIMA S *et al*
OHTSUKA S, KAKIHANA M, DOI T, SUGISHITA Y, and ITO I Effects of acutely impaired regional function on remote myocardial wall motion and blood flow in the canine left ventricle studied by coronary occlusion and hypoxic perfusion, 433
OKUMURA K *see* AWAJI Y *et al*
OLIVEIRA J S M *see* BESTETTI R B *et al*
OPIE L H *see* BRIL A *et al*
COETZEE W A *et al*
OPPENHEIMER E, AKAVIA E, SHAVIT S, and KORCZYN A D Sympathomimetic amines and cardiac arrhythmias, 754
ÖWALL A *see* FRANCO-CERECEDA A *et al*
OWEN P *see* COETZEE W A *et al*
ÖZBEK C *see* SCHWERDT H *et al*

P

PAASKE W P, HENRIKSEN O, and SEJRSEN P Capillary permeability of ^{131}I-albumin in the resting human forearm, 737
PALI T *see* BLASIG I E *et al*
PANTELY G A *see* MCFALLS E O *et al*
PANZALI A F *see* AGNOLETTI G *et al*

PAPAGEORGIOU G L, JONES B N, REDDING V J, and HUDSON N The area ratio of normal arterial junctions and its implications in pulse wave reflections, 478
PAPP J G *see* SZEKERES L *et al*
PARADIS P, *see* SHENASA H *et al*
PARMLEY W *see* AUFFERMAN W *et al*
PARMLEY W W *see* AUFFERMAN W *et al*
PARRATT J R *see* VEGH A *et al*
PARVIAINEN P *see* LINDQVIST A *et al*
PATEL N *see* LEDINGHAM S *et al*
PAUWELS E K J *see* NIEMEYER M G *et al*
PEARS D J *see* CUMMINS B *et al*
PEDRONI P, PEREZ G N, and MATTIAZZI A Calcium sensitivity of isometric tension in intact papillary muscles and chemically skinned trabeculae in different models of hypertensive hypertrophy, 584
PELC L R *see* SAGAR K B *et al*
PEREZ G N *see* PEDRONI P *et al*
PERIER P *see* LE GRAND B *et al*
PERLINI S *see* BERNARDI L *et al*
PERONNEAU P *see* LE GRAND B *et al*
PETERS A M Measurement of microvascular permeability to small solutes in man: limitations of the technique, 504
PETRICH E RUIZ- *see* RUIZ-PETRICH E
PHILIPPE M *see* MICHEL J-B *et al*
PICHENE M *see* SCHRIJEN F *et al*
PICK R *see* SILVER M A *et al*
PINSON A *see* NE'EMAN Z and PINSON A
PINTO L Z *see* BESTETTI R B *et al*
PLATOU E S *see* MORTENSEN E *et al*
POGÁTSA G *see* KOLTAI M Z *et al*
POINCELOT F *see* SCHRIJEN F *et al*
POOLE-WILSON P A *see* JONES S M *et al*
PORDÁNY G BALLAGI- *see* BALLAGI-PORDÁNY G
PURDIE G L *see* MALPAS S C and PURDIE G L

Q

QUAEGEBEUR J M *see* SCHOUTEN V J A *et al*

R

RABERGER G *see* FISCHER G *et al*
RAKUSAN K and WICKER P Morphometry of the small arteries and arterioles in the rat heart: effects of chronic hypertension and exercise, 278
RAO P S *see* FREEMAN I *et al*
RAYMOND R M *see* LAW W R *et al*
REDDING V J *see* PAPAGEORGIOU G L *et al*
REFSUM H *see* KLØW N-E *et al*
MORTENSEN E *et al*
REHULOVÁ E *see* JANDIK J *et al*
RENONDO J *see* SCHRIJEN F *et al*
RHYNE T L *see* SAGAR K B *et al*
RICCIARDI L *see* BERNARDI L *et al*
RICHARDSON D P *see* MIHAILIDOU A S *et al*
RIEGGER G A J and HOFERER P A new experimental model for measurement of pulmonary arterial haemodynamic variables in conscious rats before and after pulmonary embolism and during general anaesthesia, 340
RIENKS R *see* BORST C *et al*
ROBERTS J R *see* WILLIAMS C A *et al*
ROBIN B *see* FREEMAN I *et al*
ROCHETTE L *see* BRIL A *et al*
LAMBERT C *et al*
ROKITANSKY A M, LOSERT U M, TRUBEL W, WIESELTHALER G, KRAUSLER S, SHREINER W, BUXBAUM P, VIERHAPPER H, WALDHÄUSL W K, and WOLNER E Action of endogenous atrial natriuretic peptide in calves with experimental acute central venous congestion and low cardiac output, 345
RONCA G *see* ZUCCHI R *et al*
RÖSEN P *see* KOLTAI M Z *et al*
ROSS B M *see* CURRIE R W *et al*
ROULEAU J L *see* SHENASA H *et al*
ROUSSEAU G *see* DE LORGERIL M *et al*
RUIZ-PETRICH *see* DUMAINE R *et al*
RUSSELL G J *see* CUMMINS B *et al*

S

SAGAR K B, AGEMURA D H, O'BRIEN W D, PELC L R, RHYNE T L, WANN L S, KOMOROWSKI R A, and WARLTIER D C Quantitative ultrasonic assessment of normal and ischaemic myocardium with an acoustic microscope: relationship to integrated backscatter, 447
SAITO H *see* KAWAMURA T *et al*
YAMADA Y *et al*
SALES-NETO V N *see* BESTETTI R B *et al*
SALVUCCI F *see* BERNARDI L *et al*
SAMAN S *see* COETZEE W A *et al*
SANO T *see* KOBAYASHI H *et al*
SANTAMORE W P, LI K S, NAKAMOTO T, and JOHNSTON W E Effects of increased pericardial pressure on the coupling between the ventricles, 768
—— *see also* JOHNSTON W E *et al*
SASAYAMA S *see* YAMANISHI K *et al*
SATAKE T *see* AWAJI Y *et al*
SATOH S, MARUYAMA Y, WATANABE J, KEITOKU M, HANGAI K, and TAKISHIMA T Coronary zero flow pressure and intramyocardial pressure in transiently arrested heart, 358
SATOH T *see* FUKUDA K *et al*
SCHANNE O F *see* DUMAINE R *et al*
SCHIEFFER H *see* SCHWERDT H *et al*
SCHIFFRIN E L *see* CACHOFIERO V *et al*
SCHLUCHTER M *see* IMAMURA M *et al*
SCHNEIDER E *see* HOFFMAN U *et al*
SCHOENENBERGER A *see* BARDAJI A *et al*
SCHOLZ P M, KEDEM J, SIDEMAN S, BEYAR R, and WEISS H R Effect of hyper-and hypovolaemia on regional myocardial oxygen consumption, 81
—— UPSHER M E, ELIADES D, KEDEM J, and WEISS H R Alterations in the regional beta adrenergic system in experimental left ventricular hypertrophy, 65
SCHOUTEN V J A, TER KEURS H E D J, and QUAEGEBEUR J M Influence of electrogenic Na/Ca exchange on the action potential in human heart muscle, 758
SCHRIJEN F, HENRIQUEZ A, RENONDO J, POINCELOT F, and PICHENE M Inter- and intrasubject variabiity of the thermodilution measurement of right ventricular ejection fraction and volume in patients with chronic obstructive pulmonary disease, 33
SCHWERDT H, ÖZBEK C, FRÖHLIG G, SCHIEFFER H, and BETTE L Optimised function for determining time to peak creatine kinase and creatine kinase-MB as non-invasive reperfusion indicators after thrombolytic therapy in acute myocardial infarction, 328
SEJRSEN P *see* PAASKE W P *et al*
SETTELS J J *see* IMHOLZ B P M *et al*
SETTERGREN G *see* FRANCO-CERECEDA A *et al*
SHAVIT S *see* OPPENHEIMER E *et al*
SHENASA H, CALDERONE A, VERMEULEN M, PARADIS P, STEPHENS H, CARDINAL R, DE CHAMPLAIN J, and ROULEAU J L Chronic doxorubicin induced cardiomyopathy in rabbits: mechanical, intracellular action potential, and beta adrenergic characteristics of the failing myocardium, 591
SHERIF N EL- *see* EL-SHERIF N
SHREINER W *see* ROKITANSKY A M *et al*
SIDEMAN S *see* Scholz P M *et al*
SIDERIS D A, TOUMANIDIS S T, KOSTIS E B, STAGIANNIS K, SPYROPOULOS G, and MOULOPOULOS S D Response of tertiary centres to pressure changes. Is there a mechano-electrical association? 13
SILVER M A, PICK R, BRILLA C G, JALIL J E, JANICKI J S, and WEBER K T Reactive and reparative fibrillar collagen remodelling in the hypertrophied rat left ventricle: two experimental models of myocardial fibrosis, 741

SIMON A C, FLAUD P, AND LEVENSON J Non-invasive evaluation of segmental pressure drop and resistance in large arteries in humans based on a Poiseuille model of intra-arterial velocity distribution, 623
—— LEVENSON J, and FLAUD P Pulsatile flow and oscillating wall shear stress in the brachial artery of normotensive and hypertensive subjects, 129
SINGER D H *see* AOMINE M and SINGER D H
SIXMA J J *see* BORST C *et al*
SJÖQUIST P-O *see* JOHANSSON M H *et al*
SMITH R E *see* STEWART J T *et al*
SOARES E G *see* BESTETTI R B *et al*
SOLDÁ P L *see* BERNARDI L *et al*
SOLLEVI A *see* FRANCO-CERECEDA A *et al*
HULTING J *et al*
SPINALE F G, HENDRICK D A, CRAWFORD F A, and CARABELLO B A Relationship between bioimpedance, thermodilution, and ventriculographic measurements in experimental congestive heart failure, 423
SPYROPOULOS G *see* SIDERIS D A *et al*
STAGIANNIS K *see* SIDERIS D A *et al*
STALEY N A *see* LAX D *et al*
STEFANON I, VASSALLO D V, and MILL J G Left ventricular length dependent activation in the isovolumetric rat heart, 254
—— *see also* MILL J G *et al*
STEINBUSCH H W M *see* VAN DER KRAAIJ A M M *et al*
STEPHENS H *see* SHENASA H *et al*
STEPTOE A and VÖGELE C Cardiac baroreflex function during postural change assessed using non-invasive spontaneous sequence analysis in young men, 627
STEWART D J and BAFFOUR R Functional state of the endothelium determines the response to endothelin in the coronary circulation, 7
STEWART J T, GRAY H H, CALICOTT C, SMITH R E, and CAMM A J Heat production by the human left ventricle: measurement by a thermodilution technique, 418
SUARDI R *see* BERNARDI L *et al*
SUGISHITA Y *see* OHTSUKA S *et al*
SUTTON P *see* TAGGART P *et al*
SYLVÉN C *see* LAGERQVIST B *et al*
SZEKERS L, NÉMETH M, PAPP J G, and UDVARY E Short incubation with 7-oxo-prostacyclin induces long lasting prolongation of repolarisation time and effective refractory period in rabbit papillary muscle preparation, 37
—— *see also* VEGH A *et al*

T

TADJKARIMI S *see* CHESTER A H *et al*
TAGGART P, SUTTON P, LAB M, DEAN J, and HARRISON F Interplay between adrenaline and interbeat interval on ventricular repolarisation in intact heart in vivo, 884
TAKAKI R *see* NOBE S *et al*
TAKEMURA G *see* KAWAMURA A *et al*
TAKENAKA H *see* FUKUMOTO K *et al*
TAKISHIMA T *see* KEITOKU M ET AL
TAKISHIMA T *see* SATOH S *et al*
TANAKA M *see* KAWAMURA A *et al*
TANDE P M *see* Kløw N-E *et al*
MORGENSEN E *et al*
Tannière-Zeller M *see* LAMBERT C *et al*
TARAZI F M FOUAD- *see* FOUAD-TARAZI F M
TARAZI R C *see* KOBAYASHI H *et al*
TER KEURS H E D J, GAO W D, BOSKER H, DRAKE-HOLLAND A J, and NOBLE M I M Characterisation of decay of frequency induced potentiation and post-extrasystolic potentiation, 903
—— *see also* SCHOUTEN V J A *et al*
TERRES W, UMNUS S, MATHEY D G, and BLEIFELD W Effects of streptokinase, urokinase, and recombinant tissue plasminogen activator on platelet aggregability and stability of platelet aggregates, 471
TIMOGIANNAKIS G B, KOUROUKLIS C B, CHLAPOUTAKIS E N, and TOUTOUZAS P K Antianginal drugs and relationship between epicardial ST segment depression and moderate regional myocardial blood flow reduction in experimental partial coronary artery occluson, 396
TING C T, CHANG M S, WANG S P, CHIANG B N, and YIN F C P Regional pulse wave velocities in hypertensive and normotensive humans, 865
TOMANEK R J and WHITAKER M T Compensated function in hypertrophied ventricles of Wistar Kyoto and spontaneously hypertensive rats, 204
TORNEBRANDT K *see* CHESTER A H *et al*
TORR S, NOBLE M I M, and FOLTS J D Inhibition of acute platelet thrombosis formation in stenosed canine coronary arteries by specific serotonin $5HT_2$ receptor antagonist ritanserin, 465
TOSAKI A *see* BLASIG I E *et al*
TOUMANIDIS S T *see* SIDERIS D A *et al*
TOUTOUZAS P K see TIMOGIANNAKIS G B *et al*
TOYAMA J *see* KAWAMURA T *et al*
TRUBEL W *see* ROKITANSKY A M *et al*

U

UDVARY E *see* SZEKERES L *et al*
UEGAITO T *see* KAWAMURA A *et al*
ULLMAN B *see* HULTING J *et al*
UMNUS S *see* TERRES W *et al*
UPSHER M E *see* SCHOLZ P M *et al*
URBAIN R *see* MICHEL J-B *et al*

V

VACHIERY J-L, LEJEUNE P, HALLEMANS R, BRIMIOULLE S, DEBIÈVE M-F, ABRAMOW M, and NAEIJE R Atrial natriuretic peptides in canine hypoxic pulmonary vasoconstriction, 352
VAN DE WERF F *see* CARMELIET P, *et al*
VAN DER KRAAIJ A M M, DE JONGE H R, ESTERBAUER H, DE VENTE J, STEINBUSCH H W M, and KOSTER J F Cumene hydroperoxide, an agent inducing lipid peroxidation, and 4-hydroxy-2,3-nonenal, a peroxidation product, cause coronary vasodilatation in perfused rat hearts by a cyclic nucleotide independent mechanism, 144
VAN DER MEIRACKER A H *see* IMHOLZ B P M *et al*
VAN DER WALL E E *see* NIEMEYER M G *et al*
VASSALLO D V *see* MILL J G *et al*
STEFANON I *et al*
VEGH A, SZEKERES L, and PARRATT J R Protective effects of preconditioning of the ischaemic myocardium involve cyclo-oxygenase products, 1020
VENTE J DE *see* DE VENTE J
VERLATO G and BORGDORFF P Endogenous adenosine enhances vagal negative chronotropic effect during hypoxia in the anaesthetised rabbit, 532
VERMEULEN M *see* SHENASA H *et al*
VERRY A *see* BRIL A *et al*
VERZIJLBERGEN F J *see* NIEMEYER M G *et al*
VESCOVA G *see* JONES S M *et al*
VIERHAPPER H *see* ROKITANSKY A M *et al*
VINCENZO A DI *see* DI VINCENZO A
VINTEN-JOHANSEN J *see* JOHNSTON W E *et al*
VISSER K R, LAMBERTS R, and ZIJLSTRA W G Investigation of the origin of the impedance cardiogram by means of exchange transfusion with stroma free haemoglobin solution in the dog, 24
VÖGELE C *see* STEPTOE A and VÖGELE C

W

WAGNER S *see* AUFFERMANN W *et al*
WALDENSTRÖM A *see* LAGERQVIST B *et al*
WALDHÄUSL W K *see* ROKITANSKY A M *et al*
WALL E E VAN DER *see* VAN DER WALL E E
WALLS A P *see* HIMORI N *et al*
WANG S P *see* TING C T *et al*

WANLESS R B *see* JONES S M *et al*
WANN L S *see* SAGAR K B *et al*
WARD D E *see* LINKER N J *et al*
WARD J P T Cardiac muscle function following chronic dietary potassium depletion in the rabbit, 647
WARLTIER D C *see* SAGAR K B *et al*
WATANABE J *see* SATOH S *et al*
WEBER K T *see* SILVER M A *et al*
WEISS C *see* BOEKSTEGERS P *et al*
WEISS H R *see* SCHOLZ P M *et al*
WERF F VAN DE *see* VAN DE WERF F
WESSELING K H *see* IMHOLZ B P M *et al*
WHITAKER M T *see* TOMANEK R J and WHITAKER M T
WHITE C R and ZEHR J E Spontaneous rhythmic contractile behaviour of aortic ring segments isolated from pressure loaded regions of the vasculature, 953
WICKER P *see* RAKUSAN K and WICKER P
WIELING W *see* IMHOLZ B P M *et al*
WIESELTHALER G *see* ROKITANSKY A M *et al*
WIKMAN-COFFELT J *see* AUFFERMANN W *et al*
WILLIAMS B J *see* Cannon E P and WILLIAMS B J
WILLIAMS C A, ROBERTS J R, and FREELS D B Changes in blood pressure during isometric contractions to fatigue in the cat after brain stem lesions: effects of clonidine, 821
WILLIAMS L *see* LAX D *et al*
WILSON P A POOLE- *see* POOLE-WILSON P A
WOLFINBARGER L *see* HU J *et al*
WOLNER E *see* ROKITANSKY A M *et al*
WORNER F *see* BARDAJI A *et al*
WU S *see* AUFFERMANN W *et al*
WU S T *see* AUFFERMANN W *et al*

Y

YACOUB M *see* LEDINGHAM S *et al*
YACOUB M H *see* CHESTER A H *et al*
YAMADA K *see* KAWAMURA T *et al*
YAMADA Y, YOKOTA M, FURUMICHI T, FURUI H, YAMAUCHI K, and SAITO H Protective effect of calcium channel blockers on hydrogen peroxide induced increases in endothelial permeability, 993
YAMAGUCHI K *see* FUKUDA K *et al*
YAMAGUCHI N, KIMURA T, LAMONTAGNE D, DE CHAMPLAIN J, and NADEAU R Occlusion time dependency of regional noradrenaline release and cardiac arrhythmias during reperfusion of acutely ischaemic heart in the dog in vivo, 688
YAMANISHI K, FUJITA M, OHNA A, and SASAYAMA S Importance of myocardial ischaemia for recruitment of coronary collateral circulation in dogs, 271
YAMAUCHI K *see* YAMADA Y *et al*
YAMAZAKI N *see* HAYASHI H *et al*
YAROM R, LEVY E, and HOROWITZ M Myocardial pathology in rats exposed to prolonged environmental heat, 982
YIN F C P *see* TING C T *et al*
YOKOTA M *see* YAMADA Y *et al*
YOKOYAMA M *see* HIRATA K-I *et al*
NISHIMOTO T *et al*

Z

ZEHR J E *see* WHITE C R and ZEHR J E
ZELLER M TANNIÈRE- *see* TANNIÈRE-ZELLER M
ZHANG S-L *see* LAX D *et al*
ZIEGLER M G *see* ELAYAN H H *et al*
ZIJLSTRA W G *see* VISSER K R *et al*
ZUCCHI R, LIMBRUNO U, DI VINCENZO A, MARIANI M, and RONCA G Adenine nucleotide depletion and contractile dysfunction in the "stunned" myocardium, 440
ZWAGINGA J J *see* BORST C *et al*
ZWINDERMAN A H *see* NIEMEYER M G *et al*
ZWISSLER B, FORST H, and MESSMER K Acute pulmonary microembolism induces different regional changes in preload and contraction pattern in canine right ventricle, 285

SUBJECT INDEX
1990 Volume 24

A

Acetylcholine induced coronary artery constriction, protective effects of nipradilol, isosorbide dinitrate and bunazosin, 1013
— in Purkinje fibres surviving infarction, electrophysiological effects, 296
Acetylcholinesterase expression, sympathectomy alters, adult rat heart, 335
Acoustic microscope, quantitative ultrasonic assessment of normal and ischaemic myocardium, 447
Action potential in human myocardium, 758
Activation sequence effect on ventricular refractoriness as determined by extrastimuli, 659
Adenine nucleotide depletion and contractile dysfunction in "stunned" myocardium, 440
Adenosine during reperfusion following prolonged cardioplegic arrest, 247
— intracoronary, causes angina pectoris-like pain, an inquiry into nature of visceral pain, 609
— triphosphate synthase, mitochondrial, control in heart cells, 411
— vagus interaction during hypoxia, 532
Adrenaline, differences between myocardial infarction and unstable angina, 19
— and interbeat interval interplay between, on ventricular repolarisation, intact heart in vivo, 884
— synthesising enzymes, different inducible, contained in atria and ventricles, 53
Adriamycin cardiomyopathy, alterations in contractile proteins and myocyte function, rabbit, 834
9-amino-1,2,3,4-tetrahydroacridine *see* THA
Amiodarone antiarrhythmic effect on doxorubicin acute toxicity, working rat hearts, 653
— negative inotropic effects, on isolated guinea pig papillary muscle, 182
Angina, unstable, and myocardial infarction, differences between bleeding time, aspirin sensitivity and adrenaline, 19
— pectoris-like pain, caused by intracoronary adenosine, inquiry into nature of visceral pain, 609
Antianginal drugs and relationship between epicardial ST segment depression and moderate regional myocardial blood flow reduction in experimental partial coronary artery occlusion, 396
Antiarrhythmic drugs *see* Class I antiarrhythmic drugs: class III antiarrhythmic drugs
Antihypertensive drugs, effects on heart and resistance vessels, 137
Aortic function, and raised vascular calcium, 47
— input independance in hypertension, nifedipine effects, 719
— rings, pressure loaded, spontaneous rhythmic contractile behaviour, 953
Aortocaval shunts, simple, rapid, and effective method of producing, rat, 430
Arrhythmias, acute ischaemia, and epicardial electrograms, effects of anaesthesia, descending coronary artery occlusion, pig, 227
— and singlet oxygen, 676
— ventricular, and noradrenaline release during reperfusion, 688
Arterial junctions, area ratios, pulse wave reflections implications, 478
Arterial rings, pressure loaded, spontaneous rhythmic contractile behaviour, 953
Arteries, small, and arterioles, morphometry in chronic hypertension and exercise, 278
Ascending aorta banding, left ventricle remodelling after, rat, 641
Aspirin and ethanol, combined inhibitory effects on adrenaline exacerbation of platelet thrombus formation, 191: correction 520
— sensitivity, differences between myocardial infarction and unstable angina, 19
Atria and ventricles contain different inducible adrenaline synthesising enzymes, 53
Atrial fibres, human, cellular electrophysiological effects of flecainide, 232
— natriuretic factor, in experimental heart failure, and atrial size pressure, 570
— — — receptors, glomerular and vascular, cardiomyopathic hamsters, correlation with peptide biological effects, 843
— — — endogenous action in acute central venous congestion and low cardiac output, calves, 345
— — — in hypoxic pulmonary vasoconstriction, dogs, 352
— stretch, effect of congestive heart failure, 938
Atrioventricular block, mechanism of pressure related ventricular arrhythmias, 13
Atropine divergent action in evaluation of transmitral pressure gradients at different heart rates, 560

B

Baroreflex, cardiac, function during postural change assessed using non-invasive spontaneous sequence analysis, young men, 627
Beta adrenergic, and insulin effects during endotoxin shock, 72
— — system, regional, alterations in experimental left ventricular hypertrophy, 65
Bioimpedance in experimental congestive heart failure, 423
Bleeding time, differences between myocardial infarction and unstable angina, 19
Blood pressure changes during isometric contractions to fatigue after brain stem lesions, effect of clonidine, cat, 821
— viscosity effect on arterial flow induced dilator response: rapid communications, 165
Bronchopulmonary collaterals after spontaneous recanalisation of pulmonary thromboemboli, dog, 485
Bunazosin, protective effects on coronary artery constriction after intracoronary injection of acetylcholine, 1013

C

Calcitonin gene related peptide in congestive heart failure, improved cardiac performance, 239
Calcium channels blockers protective effects on hydrogen peroxide induced increases in endothelial permeability, 993
— Ca^{2+} channel, impaired, and diabetes mellitus prolongation of action potential duration of ventricular muscles, rat, 381
— Ca^{2+} concentration during and after metabolic inhibition: rapid communication, 605
— handling, and species differences in vulnerability to injury by oxidant stress, 857
— inhibition of glycolysis contributes to ischaemic injury, 510
— sensitivity of isometric tension in hypertensive hypertrophy, 584
— sodium exchange, influence on action potential, myocardium, 758
Capillary permeability of ^{131}I-albumin in resting human forearm, 737
Captopril, effects on heart and resistance vessels, 137
Cardiac arrhythmias and sympathomimetic amines, 754
— failure, chronic, electrophysiological changes in animal model, 309
— muscle function following chronic dietary potassium depletion, rabbit, 647
— tamponade effect on left ventricular pressure-volume relations, anaesthetised dogs, 633
Cardiomyopathy, lipid peroxidation, 540
Cardioplegic arrest, prolonged, reperfusion with adenosine following, 247

Cardiovascular oscillations, spontaneous and thermally stimulated, effect of posture, 373
Cardiovascular Research, changes of style, 7
Cellular electrophysiological effects of flecainide on human atrial fibres, 232
— viability in cardiovascular tissue assessed by ^{3H}proline and ^{3H}inulin, 528
Circadian variation of heart rate variability, 210
Class I antiarrhythmic drugs, effect of combined application on sodium channel block, 925
Class III antiarrhythmic action, positive inotropy and DPI201-106, 911
Clonidine effects on blood pressure changes during isometric contractions to fatigue after brain stem lesions, cat, 821
Collagen genes in tight skin mouse heart, 578
Congestive heart failure, improved cardiac performance with calcitonin gene related peptide, 239
— — — nitrate tolerance, rat, 198
Constant flow ischaemia, importance of vasomotor tone, swine, 813
Contractile activity of pressure loaded arteries, 953
Contrast media, low osmolality, arrhythmogenic properties, and mechanism of ECG changes, during coronary arteriography, dogs, 303
Coronary arteries, healthy and diseased, 5-hydroxytryptamine receptor profile, 932
— — proximal and distal, different histamine actions, 614
— — surgery, neuropeptide Y and noradrenaline release from heart after aortic occlusion during, 242
— blood flow, effects of haemorrhagic hypotension, in two vessel canine coronary stenosis-occlusion model, 176
— collaterals, circulation, importance of myocardial ischaemia for recruitment, dogs, 271
— — in exercising dogs with normal hearts, 121
— reactivity in porcine heart after short lasting myocardial ischaemia, 998
— retrograde pressure, increased by intracoronary endothelial-1, by constricting arterioles, 987
— stenosis and ventricular arrhythmia during subsequent 10 minute occlusion, 896
— veins, selective ECG synchronised suction and retroinfusion, 456
— zero flow pressure and intramyocardial pressure in transiently arrested heart, dogs, 358
Correction, 168, 1023
Creatine kinase and creatine kinase-MB, optimised function for determining time to peak, thrombolysis in myocardial infarction, 328
Cultured heart cells, oxygen and extracellular fluid restriction, 555
Cumene hydroperoxide, causes coronary vasodilatation by cyclic nucleotide independent mechanism, perfused rat hearts, 144
Cyclo-oxygenase products, and protective effects of preconditioning of ischaemic myocardium, 1020

D

Defibrillation, electrophysiological effects of dibenzepin, 781
Diabetes, experimental, increased vasoconstrictor response to noradrenaline in femoral vascular bed, and involvement of thromboxane A_2, 707
— mellitus prolongs action potential duration of ventricular muscles, circumstantial evidence for impaired Ca^{2+} channel, rat, 381
— STZ induced, pH and Na^+/H^+ exchange during ischaemia and reperfusion, 873
Diabetic heart, isoenzyme profiles of creatine kinase, lactate dehydrogenase, and aspartate aminotransferase, 547
Dibenzepin, chemical defibrillatory agent, electrophysiological effects, 781
Digoxin pretreatment, sensitivity to isoprenaline following, 222
Doxorubicin acute toxicity, amiodarone antiarrhythmic effect, working rat hearts, 653
— induced cardiomyopathy, rabbits, 591
— — heart failure, cardiovascular responses to graded treadmill exercises, rabbits, 959
DPI201-106, effects on positive inotrophy linked with class III antiarrhythmic action, 911

E

Effective refractory period, effect of 7-oxo-prostacyclin on papillary muscle, rabbit, 37
Electrical activity and mechanical performance in canine cardiac ischaemia, 786
Electrocardiography changes, and arrhythmogenic properties of low osmolality contrast media during coronary arteriography, dogs, 303
— synchronised suction and retroinfusion of coronary veins, 456
Electron spin resonance spin trapping of oxyradicals and functional recovery degree, inverse relationship between, 263
Endocardial injury reduced by sulphinpyrazone, 257
Endothelial permeability, calcium channel blockers protective effects on hydrogen peroxide induced increases, 993
Endothelin induced myocardial ischaemia, intact rabbit, angiographic analysis, 879
— responses in coronary circulation, 7
Endothelin-1, intracoronary, increases coronary retrograde pressure by constricting arterioles, 987
Endothelium derived relaxing factor, interaction with endothelin, 7
— endogenous, role in phosphoinositide turnover and vascular contraction response to histamine, 364
— functional state, determines response to endothelin in coronary circulation, 7
Endotoxin shock, insulin and beta adrenergic effects during, 72
Epicardial coronary veins, effect of left intra-ventricular pressure on magnitude of vascular waterfall, 851
— electrograms, and acute ischaemic arrhythmias, effects of anaesthesia, descending coronary artery occlusion, pig, 227
Erythrocytes, orientation to heart synchronous variations, investigation of origin of impedance cardiography, 24
Ethanol and aspirin, combined inhibitory effects on adrenaline exacerbation of platelet thrombus formation, 191: correction 520
Exercise, effects on coronary collateral, normal hearts, dogs, 121
— graded treadmill, cardiovascular responses, doxorubicin induced heart failure, rabbits, 959
— submaximal dynamic, evidence for intrinsic mechanism regulating heart rate variability, 969

F

Fatty acids, and alpha$_1$ adrenoceptor mediated phosphatidylinositol turnover, 94
Fibrosis, reactive and reparative, remodelling in left ventricle, rats, 741
Finapres, orthostatic responses measured with, 214
Flecainide, cellular electrophysiological effects, on human atrial fibres, 232
Flestolol, effects on transient exercise induced myocardial dysfunction, dogs, 115
Flow induced dilator response, arterial, effect of blood viscosity: rapid communication, 165
— motion waves before and after percutaneous transluminal angioplasty, 711
FR 76830, new bradycardic agent, cardioprotective effect, 1008
Free radical generating system $FeCl_3$/ADP effects on reperfusion arrhythmias rats, and electrical activity of canine Purkinje fibres, 669
— radicals in reperfusion damage, 156

G

Glyceryl trinitrate effects on left ventricular haemodynamics in congestive heart failure, rat, 198

Glycolysis, calcium inhibition, contributes to ischaemic injury, 510
Guanosine monophosphate, urinary cyclic, indicator of congestive heart failure, rats, 946

H

Heart cells, cultured, oxygen and extracellular fluid restriction, 555
— failure, congestive, effect on rate of atrial natriuretic factor release in response to stretch and isoprenaline, 938
— — congestive, indicated by urinary cyclic guanosine monophosphate, rats, 946
— — left, neuropeptide Y plasma levels in coronary care, 102
— — relationship between bioimpedance, thermodilution, and ventriculographic measurement, pigs, 423
— rate variability, circadian variation, 210
— — — evidence for intrinsic mechanism regulating, during submaximal dynamic exercise, 969
— — — significance of long term components, for further prognosis after acute myocardial infarction, 793
— — — spontaneous and thermally stimulated, effect of posture, 373
Heat induced myocardial pathology, 982
— produced by human left ventricle, measurement by thermodilution technique, 418
— shock response, induction modulates heart rate, creatine kinase and protein synthesis, rats, 87
Histamine actions, different, in proximal and distal human coronary arteries in vitro, 614
— vascular contraction and phosphoinositide turnover, role of endogenous endothelium derived relaxing factor, 364
Hydrogen peroxide induced changes in membrane potentials, guinea pig ventricular muscle, permissive role of iron, 493
— — — increases in endothelial permeability, calcium channel blockers protective effect, 993
4-Hydroxy-2,3-nonenal, causes coronary vasodilatation by cyclic nucleotide independent mechanism, perfused rat hearts, 144
5-Hydroxytryptamine receptor profile in healthy and diseased human epicardial coronary arteries, 932
Hypertension, abnormalities in coronary vessels, magnetic resonance spectroscopy, ^{31}P, 57
Hypertension, longitudinal pressure drop and segmental resistance, large artery, related to shearing forces arterial wall, 623
— morphometry of small arteries and arterioles, 278
— nifedipine effects on aortic inpur impedance, 719
— oscillating shear phenomena, 129
— regional pulse wave velocities, 865
Hypertensive hypertrophy, inotropic response to calcium, 584
Hypertrophied ventricles, compensated function, Wistar Kyoto and spontaneously hypertensive rats, 204
— — left beta adrenergic system, 65
— pressure overload, ^{31}P magnetic resonance spectroscopy, effect of reduced perfusion pressure, 57
Hypotension, haemorrhagic, effect on coronary blood flow in two vessel canine coronary stenosis-occlusion model, 176
Hypothermic ischaemia, prolonged, effect on myocardial sarcoplasmic reticular calcium transport, 169
Hypoxia, adenosine-vagus interaction during, 532
— indomethacin suppresses coronary flow response, exercise trained and sedentary rats, 733
Hypoxic pulmonary vasoconstriction, atrial natriuretic peptides, dogs, 352

I

^{131}I-albumin, capillary permeability, resting human forearm, 737
Impedance cardiography, origin, investigation by means of exchange transfusion with stroma free haemoglobin solution, dog, 24
Indomethacin suppresses coronary flow response to hypoxia, exercise trained and sedentary rats, 733
Infarct size, influence of reflow ventricular fibrillation and electrical defibrillation, 151
Inotrophy, positive, and antiarrhythmic action, 911
Insulin and beta adrenergic effects during endotoxin shock, 72
Interbeat interval and adrenaline interplay between on ventricular repolarisation, intact heart in vivo, 884
Intracoronary adenosine causes angina pectoris-like pain, inquiry into nature of visceral pain, 609
Intramyocardial pressure, and coronary zero flow pressure in transiently arrested heart, dogs, 358
Iron, role in hydrogen peroxide induced changes in membrane potentials, guinea pig ventricular muscle, 493
— severe, flow motion waves with high and low frequency, before and after percutaneous transluminal angioplasty, 711
— *see also* Myocardial ischaemia
Ischaemically induced alterations in electrical activity and mechanical performance of isolated blood perfused canine myocardial preparations, 786
Isoenzyme profiles of creatine kinase, lactate dehydrogenase, and aspartate aminotransferase, diabetic heart, 547
Isometric contractions to fatigue after brain stem lesions, blood pressure changes, effects of clonidine, 821
Isoprenaline divergent action in evaluation of transmitral pressure gradients at different heart rates, 560
— sensitivity to, following digoxin pretreatment, 222
Isosorbide dinitrate, protective effects on coronary artery constriction after intracoronary injection of acetylcholine, 1013
Isovolumetric rat heart, left ventricular length dependent activations, 254

L

Laster angioplasty in reduction of platelet adhesion, 665
— Doppler flowmetry in severe ischaemia before and after PTA, 711
Left ventricle, heat production, measurement by thermodilution technique, man, 418
— hypertrophy, beta adrenergic system, 65
— — infarction, performance changes of surviving myocardium after, rats, 748
— — length dependent activation, isovolumetric rat heart, 254
— — remodelling after ascending aorta banding, rat, 641
— — pressure-volume relations, cardiac tamponade effect, anaesthetised dogs, 633
— — reactive and reparative fibrillar collagen remodelling, 741
Lipid peroxidation in cardiomyopathy, 540

M

Magnetic resonance spectroscopy, ^{31}P, of pressure overload hypertrophy, rats, effect of reduced perfusion pressure, 57
Mechano-electrical association and response to tertiary centres to pressure changes, 13
Metoprolol, long term, in trypanosomiasis, 521
Microvascular permeability measurement to small solutes, man, technique limitations, 504
Mitochondrial ATP synthase control in heart cells, 411
Multivariate analysis of quantitative ^{201}thallium imaging, and diagnosis of coronary artery disease, 804
Mural thrombosis reduced by sulphinpyrazone, 257
Myocardial dysfunction, transient exercise induced, effects of flestolol, dogs, 115
— function, systolic thickening increases from subepicardium to subendocardium, 777
— infarction, optimised function, creatine kinase and creatine kinase-MB after thrombolysis, 328
— — prognosis, and long term components of heart rate variability, 793
— — and unstable angina, differences between bleeding time, aspirin sensitivity and adrenaline, 19
— ischaemia, effect of FR 76830, 1008
— — hypothermic, prolonged, effect on myocardial sarcoplasmic reticular calcium transport, 169
— — induced by endothelin, intact rabbit, angiographic analysis, 879

— — importance for recruitment, coronary collateral circulation, dogs, 271
— — preconditioning, protective effects involve cyclo-oxygenase products, 1020
— — quantitative ultrasonic assessment with acoustic microscope, 447
— — varying periods, coronary reactivity, 998
— — *see also* Ischaemia
— oxygen consumption, regional, effect of hyper-and hypovolaemia, 81
— pathology in rats exposed to prolonged environmental heat, 982
— stunning, coronary reactivity, effects of duration, 998
Myocardium surviving, performance changes, after left ventricular infarction, rats, 748
Myocytes from rabbits with adriamycin cardiomyopathy, 834

N

Negative inotropic effects of amiodarone on isolated guinea pig papillary muscle, 182
Neuropeptide Y and noradrenaline, release from heart after aortic occlusion during coronary artery surgery, 242
— plasma levels on admission to coronary care unit, raised in left heart failure, 102
Nicorandil, determination of effective and safe dose for intracoronary administration, dogs, 727
Nifedipine effects on aortic input impedance in hypertension, 719
Nipradilol, protective effects on coronary artery constriction after intracoronary injection of acetylcholine, 1013
Nisoldipine inhibits lipid peroxidation induced by coronary occlusion, pig myocardium, 683
Nitrate tolerance, congestive heart failure, rat, 198
Noradrenaline and neuropeptide Y, release from heart after aortic occlusion during coronary artery surgery, 242
— release and ventricular arrhythmias during reperfusion, 688
Notices, 80, 168, 344, 432, 520, 696, 864

O

Obstructive pulmonary disease, chronic, variability of thermodilution measurement, 33
Orthostatic stress, non-invasive continuous finger blood pressure measurement, 214
Oscillating shear phenomena in hypertension, 129
Oxidant stress, injury by species differences vulnerability, and calcium handling, 857
Oxygen free radicals, recombinant human extracellular superoxide dismutase reduces concentration, in reperfused rat heart, 500
Oxyradicals, spin trapping, and functional recovery degree, inverse relationship between, 263

P

Pain, angina pectoris-like, caused by intracoronary adenosine, inquiry into nature of visceral pain, 609
Percutaneous transluminal angioplasty, flow motion waves with high and low frequency in severe ischaemia before and after, 711
Pericardial pressure, increased, effects on coupling between ventricles, 768
pH intracellular, during ischaemia and reperfusion normal and diabetic rats, 873
Phosphatidylinositol turnover and fatty acid composition alterations of cardiac membrane phospholipids, 94
Phosphoinositide turnover and vascular factor in response to histamine, role of endogenous endothelium derived relaxing factor, 364
Platelet adhesion, loss after heating native and cultured human subendothelium to 100° Celcius, 665
— aggregability and stability of platelet aggregates, effects of streptokinase, urokinase, and recombinant tissue plasminogen activator, 471
— thrombosis formation, acute, inhibition by ritanserin, dog, 465
Porphyrins, photoactivation, studies of reactive oxygen intermediates and arrhythmogenesis, aerobic rat heart, 676
Posture, effect on spontaneous and thermally stimulated cardiovascular oscillations, 373
Potassium current, sinoatrial node, effect of THA, rabbit, 42
— depletion, chronic dietary, cardiac muscle function following, rabbit, 647
Potentiation, frequency induced and post-extrasystolic, decay characterisation, 903
Preload, effect on regional myocardial oxygen consumption, 81
Pressure related ventricular tachycardia, atrioventricular block, mechano-electrical association, 13
7-oxo-prostacyclin, effects on papillary muscle, rabbit, 37
Pulmonary arterial haemodynamic variables in pulmonary embolism and during general anaesthesia, new experimental model, 340
— microembolism, different regional right ventricle preload and contraction pattern after, 285
Pulsatile flow in hypertension, 129
Pulse wave reflections, and area ratios of arterial junctions, 478
— — velocities, regional, in hypertensive and normotensive humans, 865
Purkinje fibres, electrical activity, free radical generating system $FeCl_3$/ADP, 669
— — surviving infarction, electrophysiological effects of acetylcholine, 296

R

Recanalisation of pulmonary thromboemboli, spontaneous, collateral bronchopulmonary circulation after, dog, 485
Recombinant human extracellular superoxide dismutase reduces concentration of oxygen free radicals in reperfused rat heart, 500
Regional dysfunction, effect on remote myocardium, 433
Reperfusion, effect of FR 76830, 1008
— arrhythmias, role of free radicals, 669
— damage, free radical mediate delayed membrane changes rather than early ventricular arrhythmias, 156
— indicators, non-invasive, after thrombolytic therapy in myocardial infarction, 328
— noradrenaline release and ventricular arrhythmias during, 688
— of triphenyltetrazolium chloride, effect on infarct staining, 109
Repolarisation time, effect of 7-oxo-prostacyclin on papillary muscle, rabbit, 37
— ventricular, interplay between adrenaline and interbeat interval, 884
Retroinfusion and ECG synchronised suction of coronary veins, 456
Ritanserin, in inhibition of formation of acute platelet thrombosis, dog, 465

S

Sarcoplasmic reticulum, myocardial, calcium transport, effect of prolonged hypothermic ischaemia, 169
Singlet oxygen and arrhythmias, 676
Skeletal muscle microcirculation in chronic ischaemia, 390
Sodium/calcium exchange, influence on action potential, myocardium, 758
— channel block, effect of combined class I antiarrhythmic drugs, 925
— H^+ exchange, during ischaemia and reperfusion, normal and diabetic rats, 873
— taurine depression, 918
Sotalol, effect on extracellular potassium in myocardial ischaemia, 404
ST segment depression versus local myocardial blood flow, antianginal drugs, 396
Streptokinase, effects on platelet aggregability and stability of platelet aggregates, 471
Style changes in *Cardiovascular Research*, 7

STZ induced diabetes, pH and Na^+/H^+ exchange during ischaemia and reperfusion, 873
Sulphinpyrazone reduces endocardial injury and mural thrombosis, 257
Sympathectomy, alters acetylcholinesterase expression, adult rat heart, 335
Sympathomimetic amines and cardiac arrhythmias, 754
Systolic thickening increases from subepicardium to subendocardium, 777

T

Taurine depresses I_{Na}, and depolarises membrane, 918
9-amino-1,2,3,4-Tetrahydroacridine (THA) inhibitory effect on potassium current of sinoatrial node, rabbit, 42
^{201}Thallium imaging, quantitative, multivariate analysis and diagnosis of coronary artery disease, 804
Thermodilution measurement, variability, of right ventricular ejection fraction and volume, 33
Thrombolysis, maintenance of microvascular patency with recombinant tissue plasminogen activator, 697
— optimised function, creatine kinase and creatine kinase-MB after myocardial infarction, 328
Thrombosis, combined inhibitory effects of aspirin and ethanol, 191: correction 520
Thromboxane A_2 involvement in increased vasoconstrictor response to noradrenaline in femoral vascular bed, diabetic dogs, 707
Tissue plasminogen activator, effects on platelet aggregability and stability of platelet aggregates, 471
— type plasminogen activator, maintenance of microvascular patency following initial thrombolysis, 697
Training dogs with normal coronary arteries, lack of effect on collateral development, 121
Transmitral pressure gradients at different heart rates, evaluation, isoprenaline and atropine divergent action, 560
Triphenyltetrazolium chloride, effect on early reperfusion on use to differentiate viable from non-viable myocardium in area at risk, 109
Troponin-I antibodies, uptake of radioiodinated cardiac specific, in myocardial infarction, 317
Trypanosomiasis, long term metoprolol, 521

U

Urokinase, effects on platelet aggregability and stability of platelet aggregates, 471

V

Vascular calcium, raised, and aortic function, 47
— waterfall magnitude, effect of left intraventricular pressure in epicardial coronary veins, 851
Vasodilatation, coronary, caused by cumene hydroperoxide and 4-hydroxy-2,3-nonenal, 144
Vasomotor tone, importance to myocardial function and regional metabolism during constant flow ischaemia, swine, 813
(Ventricle/ventricular) arrhythmia and coronary stenosis during subsequent 10 minute occlusion, 896
— effects of increased pericardial pressure on coupling between, 768
— and atria contain different inducible adrenaline synthesising enzymes, 53
— hypertrophied, compensated function, Wistar Kyoto and spontaneously hypertensive rats, 204
— left, *see* Left ventricle
— right, differential regional contraction and preload after pulmonary microembolism, 285
— muscle, diabetes mellitus prolongs action potential duration, rat, 381
— refractoriness, activation sequence effect, as determined by extrastimuli, 659

W

Wall shear stress in hypertension, 129

Z

Zero flow pressure, coronary, and intramyocardial pressure, transiently arrested heart, dogs, 358